
— Reuniwatt —







Intra-day and Day-ahead Forecasting for Energy Traders on European Markets

Laurent HUET – Lead Data Scientist













European Power Markets: A Brief Overview


Multiple European Power Markets...




- A dozen power exchange markets across Europe
- With an unequal consumption



...with multiple relations...




- A dozen power exchange markets across Europe
- With an unequal consumption



Unequal cross-border energy transit

...form a global and evolving market

A market in constant regulation and evolution



- Wind and solar generations are driving the rise in renewable capacity
- 40-45 % of the energy to be sourced from renewable energy sources by 2025
- Over 80% expected by 2050




Need for national and regional forecasts



Impact of the renewable production on the prices

■ **A German example:** week 29/05/2017 to 05/06/2017

Electricity production and spot prices in Germany in week 22 2017






Impact of the renewable production on the prices

■ **A German example:** week 29/05/2017 to 05/06/2017

Electricity production and spot prices in Germany in week 22 2017



Power Exchange Rules

- Balancing of renewable power by TSOs
- Example for the EPEX exchange:
 - Day-Ahead Auction:
 - Electricity traded for delivery the following day in 24 hour intervals
 - The daily auction takes place at 12.00 pm, 7 days a week
 - Intra-day Auction:
 - Electricity traded for delivery on the same or the following day in 15 min intervals
 - Trading is continuous 7 days a week and 24 hours a day
- Unbalances have to be adjusted with expensive balancing power




Need for accurate Intra-day and Day-Ahead forecasts





Solar forecasting techniques

Different technologies combined for a continuous forecast




22/06/2017




Intra-day forecasts (Satellite)


- Global coverage and live access to 5 geostationary satellites
- Cover horizons from 10 minutes up to 6 hours ahead




Intra-day forecasts (Satellite)








MSG HRV image (June 6th 2012, 1200 UTC)






GHI: global horizontal irradiation at ground level

Intra-day forecasts (Satellite)




T0 – 15 min. Cloud index map



T0 Cloud index map

Cloud motion vector extraction




Cloud motion extrapolation – 6 hours ahead (15 min step)


22/06/2017



Night time forecasts (Satellite)



Day-Ahead forecasts (NWP)



Several Models

FCM\MF

Institutes

FCMWF

NWS

	LCIVIVVI	(20)	ECIVIVVI
_	ICON	(DE)	DWD
_	HIRLAM	(EU)	HIRLAM
_	ARPEGE	(FR)	MétéoFrance
_	EURO4	(UK)	MetOffice

(US)

(FU)

Others investigated


Regional Fine Tuning

GFS

- Weather and Research Forecast (WRF)
- Initialised by global outputs
- Adapted cloud radiative transfer model
 - According to local climate conditions



Individual PV plant forecasting




22/06/2017



Regional Forecasting – Physical Approach


Satellite




NWP




Regional Forecasting – Physical Approach



Regional Forecasting – Physical Approach



Regional Forecasting – Statistical Approach



Conclusion

■ The European market: challenges ahead





■ Forecasts improvements with new technologies







— Reuniwatt —

Find more information on our website www.reuniwatt.com



They support us:





